

VIRGINIA CHILD PROTECTION NEWSLETTER  
EVIDENCE-BASED TREATMENTS FOR CHILD TRAUMA  
VOLUME 95

Joann Grayson, Ph.D.  
Center for Child Abuse Education  
Department of Psychology  
MSC 7401  
James Madison University  
Harrisonburg, VA 22807  
(540) 568-6771 or 6482  
Fax (540) 568-3322

- Aarons, G. A., Fettees, D. L., Sommerfeld, D. H., & Palinkas, L. A. (2011). Mixed methods for implementation research: Application to evidence-based practice implementation and staff turnover in community-based organizations providing child welfare services. *Child Maltreatment, 17*, 67-79. doi: 10.1177/1077559511426908
- Allen, B., Gharagozloo, L. & Johnson, J.C. (2012). Clinician knowledge and utilization of empirically-supported treatments for maltreated children. *Child Maltreatment, 17*, 11-21.
- Allen, B. & Johnson, J. C. (2011) Utilization and implementation of trauma-focused cognitive-behavioral therapy for the treatment of maltreated children. *Child Maltreatment, 17*, 80-85.  
doi: 10.1177/1077559511418220
- Amand, A. St., Bard, D. E., & Silovsky, J. F. (2008). Meta-analysis of treatment for child sexual behavior problems: Practice elements and outcomes. *Child Maltreatment, 13*, 145-166.  
doi: 10.1177/1077559509315353
- American Psychological Association (2012). How evidence-based is your trauma treatment? Retrieved from <http://www.apa.org/gradpsych/2012/03/evidence-based.aspx>
- American Psychological Association. (2008, July 13). *APA task force recommends dissemination of evidence-based practices to address gaps in mental health care for children and adolescents* [Press Release]. Retrieved from <http://www.apa.org/news/press/releases/2008/08/evidence-based.aspx>

- American Psychological Association (2002). Criteria for evaluating treatment guidelines. *American Psychologist*, 57(12), 1052-1059. doi: 10.1037//0003-066X.57.12.1052
- Becker-Weidman, A. & Hughes, D. (2008). Dyadic developmental psychotherapy: An evidence-based and effective treatment for trauma and disorders of attachment. *Child & Adolescent Social Work*, 13, 329-337.
- Berkowitz, S. J., Stover, C. S., & Marans, S. R. (2010). The child and family traumatic stress intervention: Secondary prevention for youth at risk of developing PTSD. *The Journal of Child Psychology and Psychiatry*, 52(6), 676-685. doi: 10.1111/j.1469-7610.2010.02321.x
- BigFoot, D. S., & Funderburk, B. W. (2012). Honoring children, making relatives: The cultural translation of paren-child interaction therapy for American Indian and Alaska Native families. *Journal of Psychoactive Drugs*, 43(4), 309-318. doi: 10.1080/02791072.2011.628924.
- Birman, D., Beehler, S., Pulley, E., Everson, M. L., Batia, K., Frazier, S., Atkins, M., Liautaud, J., Buwalda, J., Fogg, L., Capella, E., & Blanton, S. (2009). International family adult and child enhancement services: A community-based comprehensive services model for refugee children in resettlement. *American Journal of Orthopsychiatry*, 78, 121-132.
- Blank, M. J., Brand, B., Deich, S., Kazis, R., Politz, B., Trippe, S. (2003). Local intermediary organizations: Connecting the dots for children, youth, and families. Retrieved from <http://www.aypf.org/publications/intermediaries.pdf>
- Blaustein, M. E., & Kinniburgh, K. M. (2010). *Treating traumatic stress in children and adolescents: How to foster resilience through attachment, self-regulation, and competency*. New York: The Guilford Press.
- Bonner, B. L., Walker, C. E., & Berliner, L. U.S. Department of Health and Human Services Administration for Children, Youth, and Families, National Center on Child Abuse and Neglect. (1999). *Children with sexual behavior problems: Assessment and treatment* (Grant No. 90-CA-

- 1469). Retrieved from website:  
<http://www.childwelfare.gov/pubs/otherpubs/childassessment/index.cfm>
- Brody, J. E. (2012, April 2). A brief therapy heals trauma in children. *New York Times*. Retrieved June 4, 2012, from <http://www.well.blogs.nytimes.com>
- Budd, K. S., Hella, B., & Bae, H. (2011). Delivering parent-child interaction therapy in an urban community clinic. *Cognitive and Behavioral Practice, 18*(4), 502-514.
- Carpentier, M., Silovsky, J. F., & Chaffin, M. (2006). Randomized trial of treatment for children with sexual behavior problems: Ten-year follow-up. *Journal of Consulting and Clinical Psychology, 74*(3), 482-488. doi: 10.1037/0022-006x.74.3.482
- Center for Mental Health in Schools at University of California, Los Angeles. (n.d.) About empirically-supported practices. Retrieved from <http://www.smhp.psych.ucla.edu/pdfdocs/Empirically-supported.pdf>
- Chaffin, M., Bard, D., Hecht, D., & Silovsky, J. (2011) Change trajectories during home-based services with chronic child welfare cases. *Child Maltreatment 16*, 114-125.  
doi: 10.1177/1077559511402048
- Chaffin, M., Taylor, N., Wilson, C., & Igelman, R. (2007). *Parent-child interaction therapy with at-risk families*. Child Welfare Information Gateway: Washington, D.C.
- Chaffin, M., & Friedrich, B. (2004). Evidence-based treatments in child abuse and neglect. *Children and Youth Services Review, 26*, 1097-1113. Retrieved from <http://www.sciencedirect.com>
- Child-Parent Psychotherapy. (2011). Child-parent psychotherapy. Retrieved from <http://www.facebook.com>
- Child Welfare Information Gateway (2007). Trauma-focused cognitive behavioral therapy: Addressing the mental health of sexually abused children. Washington, DC: U.S. Department of Health and Human Services..

- Chorpita, B. F., Daleiden, E. L., & Weisz, J. R. (2005). Modularity in the design and application of therapeutic interventions. *Applied and Preventive Psychology, 11*, 141-156. Retrieved from <http://www.sciencedirect.com>
- Cohen, J. A., Mannarino, A. P., & Deblinger, E. (2012). *Trauma-focused CBT for children and adolescents: Treatment applications*. New York: The Guilford Press.
- Cohen, J. A., Berliner, L., & Mannarino, A. (2010). Trauma focused CBT for children with co-occurring trauma and behavior problems. *Child Abuse & Neglect, 34*, 215-224.
- Cohen, J. A., & Mannarino, A. P. (2010). Psychotherapeutic options for traumatized children. *Current Opinion in Pediatrics, 22*(5), 605-609. doi: 10.1097/MOP.0b013e32833e14a2
- Cohen, J. A., Mannarino, A. P., Perel, J. M., & Staron, V. (2007). A pilot randomized controlled trial of combined trauma-focused CBT and sertraline for childhood PTSD symptoms. *Journal of the American Academy of Child & Adolescent Psychiatry, 46*(7), 811-819. doi: 10.1097/chi.0b013e3180547105
- Cohen, J. A., Mannarino, A. P., & Deblinger, E. (2006). *Treating trauma and traumatic grief in children and adolescents*. New York: The Guilford Press.
- Cohen, J. A., Deblinger, E., Mannarino, A. P., & Steer, R. (2004). A multi-site, randomized controlled trial for children with abuse-related PTSD symptoms. *Journal of the American Academy of Child & Adolescent Psychiatry, 43*, 393-402.
- Conradi, L., Kletzka, N. T., & Oliver T. (2010). A clinician's perspective on the trauma assessment pathway (TAP) model: A case study of one clinician's use of the TAP model. *Journal of Child & Adolescent Trauma, 3*, 40-57. doi: 10.1080/19361520903520450
- Courtois, C. A., & Ford, J. D. (2009). *Treating complex traumatic stress disorders: An evidence-based guide*. New York: The Guilford Press.
- Courtois, C. A., & Ford, J. D. (2009). Best practices in psychotherapy for children and families. *Treating complex traumatic stress disorders: An evidence-based guide*. New York: Guilford Press.

- Damashek, A. L., & Chaffin, M. J. (2012). Child abuse and neglect. *Handbook of evidence-based practice in clinical psychology*. John Wiley & Sons, Inc.: New Jersey.
- Danielson, C. K., McCart, M. R., Walsh, K., de Arellano, M. A., White, D., & Resnick, H. S. (2012). Reducing substance use risk and mental health problems among sexually assaulted adolescents: A pilot randomized controlled trial. *Journal of Family Psychology, 26*(4), 628-635. doi: 10.1037/a0028862.
- Danielson, C. K., McCart, M. R., de Arellano, M. A., Macdonald, A., Doherty, L. S., & Resnick, H. S. (2010). Risk reduction for substance use and trauma-related psychopathology in adolescent sexual assault victims: Findings from an open trial. *Child Maltreatment, 15*, 261-268. doi: 10.1177/1077559510367939
- Enomoto, K. (n.d.). Trauma-informed care a call to action: North Carolina practice improvement collaborative. Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov>
- Eyberg, S. M. (2012). Principles of treatment with the behaviorally disordered child. In G.P. Koocher, J. C. Norcross, and B.A. Greene, *Psychologists' desk reference* (3<sup>rd</sup> ed.). Oxford: Oxford University Press.
- Fisher, P. A., Hyoun, K. K., & Pears, K. C. (2009). Effects of multidimensional treatment foster care for preschoolers (MTFC-P) on reducing permanent failures among children with placement instability. *Child and Youth Services Reviews, 31*, 541-546. doi: 10.1016/j.chilyouth.2008.10.012
- Ford, J. D., & Cloitre, M. (2009). Best practices in psychotherapy for children and adolescents. In C. A. Courtois & J. D. Ford (Ed.). *Treating complex traumatic stress disorders: An evidence-based guide*. New York: The Guilford Press.

- Gershenson, R. A., Lyon, A. R., & Budd, K. S. (2010). Promoting positive interactions in the classroom: Adapting parent-child interaction therapy as a universal prevention program. *Education & Treatment of Children*, 261-287.
- Goldberg, A. B. (2012, February 15). From where I stand [EMDR: An evidence-based treatment for trauma]. Retrieved from <http://andreabgoldberg.blogspot.com/2012/02/emdr-evidence-based-treatment-for.html>
- Gully, K. J., Price, B. L., & Johnson, M. K. (2008). Increasing abused children's access to evidence-based treatment: Diffusion via parents as consumers. *Child Maltreatment*, 13, 280-288.  
doi: 10.1177/1077559508316042
- Hakman, M., Chaffin, M., Funderburk, B., & Silovsky, J. F. (2009). Change trajectories for parent-child interaction sequences during parent-child interaction therapy for child physical abuse. *Child Abuse & Neglect*, 33(7), 461-470. doi: 10.1016/j.chiabu.2008.08.003.
- Johnson, S. B. (2012, July/August). In support of APA's treatment guideline efforts. *President's Column, Monitor on Psychology*, 43(7), 5.
- Kazdin, A. E., & Weisz, J. R. (2003). *Evidence-based psychotherapies for children and adolescents*. New York: The Guilford Press.
- Kagan, R., Douglas, A. N., Hornik, J., & Kratz, S. (2008). Real life heroes pilot study: Evaluation of a treatment model for children with traumatic stress. *Journal of Child & Adolescent Trauma*, 1(1), 5-22. doi: 10.1080/19361520801929845
- Kendall-Tackett, K. A., Williams, L. M., & Finkelhor, D. (1993). Impact of sexual abuse on children: A review and synthesis of recent empirical studies. *American Psychological Association*, 133(1), 164-180.
- Kinsler, P. J., Courtois, C. A., & Frankel, A. S. (2009). Therapeutic alliance and risk management. In C. A. Courtois & J. D. Ford (Ed.). *Treating complex traumatic stress disorders: An evidence-based guide*. New York: The Guilford Press.

- Kolko, D. J., Baumann, B. L., Herschell, A. D., Hart, J. A., Holden, E. A., & Wisniewski, S. R. (2012). Implementation of AF-CBT by community practitioners serving child welfare and mental health: A randomized trial. *Child Maltreatment, 17*, 32-46. doi: 10.1177/1077559511427346
- Kolko, D. J., Iselin, A. R., & Gully, K. J. (2011). Evaluation of the sustainability and clinical outcome of alternatives for families: A cognitive-behavioral therapy (AF-CBT) in a child protection center. *Child Abuse & Neglect, 35*, 105-116. doi: 10.1016/j.chiabu.2010.09.004.
- Kolko, D. J., Hurlburt, M. S., Zhang, J., Barth, R. P., Leslie, L. K. & Burns, B. J. (2010). Posttraumatic stress symptoms in children and adolescents referred for child welfare investigation: A national sample of in-home and out-of-home care. *Child Maltreatment, 15*, 48-63. doi: 10.1177/1077559509337892
- Lee, E. L., Wilsie, C. C., & Brestan-Knight, E. (2011). Using parent-child interaction therapy to develop a pre-parent education module. *Children and Youth Services Review, 33*(7), 1254-1261. doi: 10.1016/j.chilyouth.2011.02.024.
- Lenze, S. N., Pautsch, J., & Luby, J. (2011). Parent-child interaction therapy emotion development: A novel treatment for depression in preschool children. *Depression & Anxiety, 28*(2), 153-159. doi: 10.1002/da.20770.
- Marans, S., Hahn, H., Epstein, C., Arnow, N., & Roberts, L. (2012). The Safe Horizon-Yale Child Study Center Partnership: Offering hope for abused children. Retrieved from <http://www.safehorizon.org>
- McCabe, K., Yeh, M., Lau, A., & Argote, C. B. (2012). Parent-child interaction therapy for Mexican Americans: Results of a pilot randomized clinical trial at follow-up. *Behavior Therapy, 43*(3), 606-618. doi: 10.1016/j.beth.2011.11.001.

- McCabe, K., & Yeh, M. (2009). Parent-child interaction therapy for Mexican Americans: A randomized clinical trial. *Journal of Clinical Child & Adolescent Psychology*, 38(5), 753-759. doi: 10.1080/15374410903103544.
- MUSC National Crime Victim Research and Treatment Center (n.d.) Project Best. Retrieved from <http://academic.departments.musc.edu>
- National Association of Public Child Welfare Administrators. (2005). *Guide for child welfare administrators on evidence based practice*. Retrieved from <http://www.chadwickcenter.org/Documents/Guide-for-Evidence-Based-Practice.pdf>
- Nelson, M. M., Shanley, J. R., Funderburk, B. W., & Bard, E. (2012). Therapists' attitudes toward evidence-based practices and implementation of parent-child interaction therapy. *Child Maltreatment* 17, 47-55. doi: 10.1177/1077559512436674
- Niec, L., Eyberg, S., & Chase, R. (2012). Parent-child interaction therapy: Implementing and sustaining a treatment program for families of young children with disruptive behavior disorders. In A. Rubin (Ed.). *Empirically supported programs and interventions in child welfare*. New York: Wiley.
- Nieter, L., Thornberry Jr., T., & Brestan-Knight, E. (2012). The effectiveness of group parent-child interaction therapy with community families. *Journal of Child and Family Studies*. 1-12. doi:10.1007/s10826-012-9601-5.
- North Carolina Practice Improvement Collaborative. (n.d.) Trauma-focused cognitive behavioral therapy (TF-CBT). Retrieved from <http://www.ncpic.net>
- N'zi, A. M., & Eyberg, S. M. (2012, in press). Tailoring parent-child interaction therapy for oppositional defiant disorder in a case of child maltreatment. In W. O'Donohue & S. Lilienfeld (Ed.). *Case studies in clinical psychological science: Bridging the gap from science to practice*. Oxford: Oxford University Press.
- Ohio Legal Rights Service (2007). Trauma informed treatment in behavioral health settings. Retrieved from <http://www.olrs.ohio.gov/trauma-informed-treatment>



- Osofsky, J. D. (2011). *Clinical work with traumatized young children*. New York: The Guilford Press.
- Pilnik, L., & Kendall, J. R. (2012). *Victimization and trauma experienced by children and youth: Implications for legal advocates*. Moving From Evidence to Action: The Safe Start Series on Children Exposed to Violence, Issue Brief #7. North Bethesda, MD: Safe Start Center, Office of Juvenile Justice and Delinquency Prevention, Office of Justice Programs, U.S. Department of Justice
- Puliafico, A. C., Comer, J. S., & Pincus, D. B. (2012). Adapting parent-child interaction therapy to treat anxiety disorders in young children. *Child and Adolescent Psychiatric Clinics of North America*, 21(3), 607-619. doi: 10.1016/j.chc.2012.05.005.
- Raider, M. C., Steele, W., Delillo-Storey, M., Jacobs, J., & Kuban, C. (2008). Structured sensory therapy (SITCAP-ART) for traumatized adjudicated adolescents in residential treatment. *Residential Treatment for Children & Youth*, 25(2), 167-185. doi: 10.1080/08865710802310178
- Reddy, L. A., Files-Hall, T. M., & Schaefer, C. E. (2005). *Empirically based play interventions for children*. Washington, DC: American Psychological Association.
- Rotheram-Borus, M. J., Swendeman, D., & Chorpita, B. F. (2012). Disruptive innovations for designing and diffusing evidence-based interventions. *American Psychologist*, 67(6), 463-476. doi: 10.1037/a0028180.
- Rubin, A., & Bellamy, J. (2008). *Practitioner's guide to using research for evidence-based practice*. New Jersey: John Wiley & Sons, Inc.
- Runyon, M. K., Deblinger, E., & Steer, R. A. (2010). Group cognitive behavioral treatment for parents and children at-risk for physical abuse: An initial study. *Child & Family Behavior Therapy*, 32, 196-218. doi: 10.1080/07317107.2010.500515
- Runyon, M. K. & Deblinger, E. (2010). How to implement combined parent-child cognitive behavioral therapy. Stratford, NJ: Child Abuse Research, Education and Services Institute.

- Runyon, M. K., Deblinger, E., & Schroeder, C. M. (2009). Pilot evaluation of outcome of combined parent-child cognitive behavioral group therapy for families at risk for child physical abuse. *Cognitive and Behavioral Practice, 16*, 101-118.
- Runyon, M. K., Deblinger, E., Ryan, E. E., & Thakkar-Kolar, R. (2004). An overview of child physical abuse: Developing an integrated parent-child cognitive-behavioral approach. *Trauma, Violence, & Abuse, 5*(1), 65-85. doi: 10.1177/1524838003259323
- Salloum, A., & Storch, E. A. (2011). Parent-led, therapist-assisted, first-line treatment for young children after trauma: A case study. *Child Maltreatment, 16*(3), 227-232. doi: 10.1177/1077559511415099
- Salloum, A. (2004). *Group work with adolescents after violent death: A manual for practitioners*. New York: Brunner-Routledge.
- Scheeringa, M. S., Weems, C. F., Cohen, J. A., Amaya-Jackson, L., & Guthrie, D. (2011). Trauma-focused cognitive-behavioral therapy for posttraumatic stress disorder in three- through six year-old children: A randomized clinical trial. *The Journal of Child Psychology and Psychiatry, 52*(8), 853-860. doi:10.1111/j.1469-7610.2010.02354.x
- Self-Brown, S., Whitaker, D., Berliner, L., & Kolko, D. (2012). Disseminating child maltreatment interventions: Research on implementing evidence-based programs. *Child Maltreatment, 17*, 5-10. doi: 10.1177/1077559511436211
- Shapiro, C. J., Prinz, R. J., & Sanders, M. R. (2012). Facilitators and barriers to implementation of an evidence-based parenting intervention to prevent child maltreatment: The triple p-positive parenting program. *Child Maltreatment, 17*, 86-95. doi: 10.1177/1077559511424774
- Sigel, B., & Silovsky, J. F. (2011). Psychology graduate school training on interventions for child maltreatment. *Psychology Trauma: Theory, Research, Practice, and Policy, 3*(3), 229-234.
- Sigel, B., & Silovsky, J. F. (2011). Psychology internship training on interventions for children with maltreatment histories. *Training and Education in Professional Psychology, 5*(4), 237-243.

- Silovsky, J. F., Swisher, L. M., Widdifield Jr., J., & Burris, L. (2011). Clinical considerations when children have problematic sexual behavior. In P. Goodyear-Brown (Ed.). *Handbook of child sexual abuse: Identification, assessment, and treatment*. New Jersey: John Wiley & Sons.
- Simon, V. A., Feiring, C., & McElroy, S. K. (2010). Making meaning of traumatic events: Youths' strategies for processing childhood sexual abuse are associated with psychosocial adjustment. *Child Maltreatment, 15*(3), 229-241. doi: 10.1177/1077559510370365
- Stephens, K., Martinez, K., & Braun, J. (2012). Current trends in forensic interviewing and medical evaluations: A review of the children's advocacy center model. *American Professional Society on the Abuse of Children, 24*(3), 18-23.
- Task Force on Community Preventive Services. (2008). Recommendations to reduce psychological harm from traumatic events among children and adolescents. *American Journal of Preventive Medicine, 35*(3), 314-316. doi: 10.1016/j.amepre.2008.06.025
- Taylor, N., Gilbert, A., Mann, G., Ryan, B. (2008). Assessment-based treatment for traumatized children: A trauma assessment pathway model (TAP). Retrieved from <http://www.taptraining.net/documents/Master%20TAP-6-08new.pdf>
- The California Evidence-Based Clearinghouse for Child Welfare (2011). Children with sexual behavior problems cognitive-behavioral treatment program: School-age group. Retrieved from <http://www.cebc4cw.org>
- The California Evidence-Based Clearinghouse for Child Welfare (2011). Multisystemic therapy (MST). Retrieved from <http://www.cebc4cw.org>
- The California Evidence-Based Clearinghouse for Child Welfare (2011). Multisystemic therapy for youth with problem sexual behaviors (MST-PSB). Retrieved from <http://www.cebc4cw.org>
- The California Evidence-Based Clearinghouse for Child Welfare (2011). Trauma-focused integrated play therapy (TFIPT). Retrieved from <http://www.cebc4cw.org>

- The California Evidence-Based Clearinghouse for Child Welfare (2011). Trauma-focused cognitive-behavioral therapy (TF-CBT): Sexual behavior problems in children, treatment of TF-CBT. Retrieved from <http://www.cebc4cw.org>
- The National Child Traumatic Stress Network (2012). CFTSI: Child and family traumatic stress intervention. Retrieved from <http://www.NCTSN.org>
- The National Child Traumatic Stress Network (2008). CM-TFT: Culturally modified trauma-focused treatment. Retrieved from <http://www.NCTSN.org>
- The National Child Traumatic Stress Network (n.d.). Honoring children, making relatives (HC-MR). Retrieved from <http://www.NCTSN.org>
- The National Child Traumatic Stress Network (n.d.). IFACES: International family adult and child enhancement services, heartland health outreach. Retrieved from <http://www.NCTSN.org>
- The National Child Traumatic Stress Network (2012). RLH: Real life heroes. Retrieved from <http://www.NCTSN.org>
- The National Child Traumatic Stress Network (2012). TAP: Assessment-based treatment for traumatized children: Trauma assessment pathway. Retrieved from <http://www.NCTSN.org>
- The National Child Traumatic Stress Network (2009). Trauma-informed interventions: Combined parent child cognitive behavioral approach for children and families at risk for physical abuse. Retrieved from <http://www.NCTSN.org>
- Thomas, R., & Zimmer-Gembeck, M. J. (2011). Accumulating evidence for parent-child interaction therapy in the prevention of child maltreatment. *Child Development, 82*(1), 177-192.
- Timmer, S. G., Urquiza, A. J., & Zebell, N. (2006). Challenging foster caregiver-maltreated child relationships: The effectiveness of parent-child interaction therapy. *Children and Youth Services Review, 28*, 1-19. doi: 10.1016/j.childyouth.2005.01.006

- United States Department of Justice. (2011). *Evidence-based practices for children exposed to violence: A selection from federal databases*. Retrieved from <https://www.ncjrs.gov/App/Publications/abstract.aspx?ID=256101>
- Weiner, D. A., Schneider, A., & Lyons, J. S. (2009). Evidence-based treatments for trauma among culturally diverse foster care youth: Treatment retention and outcomes. *Children and Youth Services Review, 31*, 1199-1205.
- Whitaker, D. J., Ryan, K. A., Wild, R. C., Slef-Brown, S., Lutzker, J. R., Shanley, J. R., Edwards, A. M., McFry, E. A., Moseley, C. N., & Hodges, A. E. (2012). Initial implementation indicators from a statewide rollout of safecare within a child welfare system. *Child Maltreatment 17*, 96-101.  
doi: 10.1177/1077559511430722
- Williamson, E., Dutch, M. N., & Clawson Caliber, H. J. (2010). Evidence-based mental health treatment for victims of human trafficking. *U.S. Department of Health & Human Services*. Retrieved from <http://www.aspe.hhs.gov>
- Wilson, C. A. (2012). Special issue of child maltreatment on implementation: Some key developments in evidence-based models for the treatment of child maltreatment. *Child Maltreatment, 17*, 102-106.  
doi: 10.1177/1077559512436680
- Zisser, A. R., & Eyberg, S. M. (2012). Maternal ADHD: Parent-child interactions and relations with child disruptive behavior. *Child & Family Behavior Therapy, 34*(1), 33-52.